



Quality Assured's PS ECL, 3-page provides up to **200% more content area** for multi-lingual and government required health and safety information

Our single-pass, in-line printing and finishing streamlines the packaging process, eliminates the possibility of mis-matched components, ensures brand consistencies, and reduces bottom line.



FEATURES

- 3 page booklet that can be customized to open from the top, bottom, left or right.
- Runs on existing labeling equipment using existing specifications
- Use existing die-lines
- No reduction in line speed
- Closure and adhesive patterns can be customized to meet your requirements
- In-line single-pass printing, eliminates the risk of mismatched components

PRINTING CAPABILITIES

- Print up to 9 colors
- Foil stamping capable
- Letterpress, Flexography, and/or Screen printing
- Rewind positions 1, 2, 3, 4
- 1/2" x 1/2" minimum size
- 15" x 24" maximum size

MATERIALS

- Top ply can be customized to create a window for cross marketing, sampling, and IRCs
- Manufactured with your existing specified materials including metallized stock
- Base material and top ply material can be different stocks
- Green solutions material provider

BASE MATERIAL

- Pressure sensitive
- Paper, film or clear
- .5 mil minimum thickness

TOP PLY MATERIAL

- Paper or film
- .5 mil minimum thickness



Quality Assured's PS ECL, 5-page provides up to **4 times the content area** for multi-lingual and government required health and safety information



Our single-pass, in-line printing and finishing streamlines the packaging process, eliminates the possibility of mis-matched components, ensures brand consistencies, and reduces bottom line.

FEATURES

- 5 page booklet that can be customized to open from the top, bottom, left or right.
- Runs on existing labeling equipment using existing specifications
- Use existing die-lines
- No reduction in line speed
- Closure and adhesive patterns can be customized to meet your requirements
- In-line single-pass printing, eliminates the risk of mismatched components

PRINTING CAPABILITIES

- Print up to 8 colors
- Foil stamping capable
- Letterpress, Flexography, and/or Screen printing
- Rewind positions 1, 2, 3, 4
- 1/2" x 1/2" minimum size
- 15" x 24" maximum size

MATERIALS

- Top ply can be customized to create a window for cross marketing, sampling, and IRCs
- Manufactured with your existing specified materials including metallized stock
- Base material and top ply material can be different stocks
- Green solutions material provider

BASE MATERIAL

- Pressure sensitive
- Paper, film or clear
- .5 mil minimum thickness

TOP PLY MATERIAL

- Paper or film
- .5 mil minimum thickness

Quality Assured's PS ECL, 7-page provides up to **6 times the content area** for multi-lingual and government required health and safety information



Our single-pass, in-line printing and finishing streamlines the packaging process, eliminates the possibility of mis-matched components, ensures brand consistencies, and reduces bottom line.

FEATURES

- 7 page booklet that can be customized to open from the top, bottom, left or right.
- Runs on existing labeling equipment using existing specifications
- Use existing die-lines
- No reduction in line speed
- Closure and adhesive patterns can be customized to meet your requirements
- In-line single-pass printing, eliminates the risk of mismatched components

PRINTING CAPABILITIES

- Print up to 8 colors
- Foil stamping capable
- Letterpress, Flexography, and/or Screen printing
- Rewind positions 1, 2, 3, 4
- 1" x 1" minimum size
- 7" x 24" maximum size

MATERIALS

- Top ply can be customized to create a window for cross marketing, sampling, and IRCs
- Manufactured with your existing specified materials including metallized stock
- Base material and top ply material can be different stocks
- Green solutions material provider

BASE MATERIAL

- Pressure sensitive
- Paper, film or clear
- .5 mil minimum thickness

TOP PLY MATERIAL

- Paper or film
- .5 mil minimum thickness